

## **A SURVEY OF DIGITAL IMAGE WATERMARKING TECHNIQUES**

**Ankita Singh<sup>1</sup>, Dr. A.K Sharma<sup>2</sup>**

<sup>1,2</sup>*Department Computer Science & Engineering*

*Madan Mohan Malaviya University of Technology, Gorakhpur (U.P) ,(India)*

### **ABSTRACT**

*Security of multimedia data is very crucial for the internet based technology as there are several problems associated with the multimedia content. The problems are replication and content distributed at several sites. The technique of digital watermarking is playing a vital role for securing the multimedia data as it hides the relevant information so that no replicated copies can be formed further and this prevent from the unnecessary explosion of data or distribution of data. Several techniques are given for the encapsulation of the contents like audio, text, video and images. In this technique, some secret information is included in the data so that its consistency can be maintained. This secret information can be an image cover and further during decryption this can be removed for authorization and copyright protection. This paper reviews different methods of digital watermarking for protecting digital information.*

**Keywords—DCT, DWT, DFT.**

### **I. INTRODUCTION**

Image watermarking is becoming more popular due to large use of multimedia applications and internet. Image watermarking hide the digital data into the host image or cover image in the form of logo/audio/video or text. Copyright protection, content protection, ownership identification, data integrity are the main applications of the digital watermarking .A Digital watermarking is a kind of marker embedded in noise tolerant signal such as audio or image data. The digital watermarking is typically used to identify ownership of the publishing of such signal. Watermarking is the process of hiding digital information in a carrier signal. The hidden information should be digital but does not need to contain a relation to the carrier signal. The convention watermarks may be applied to visible media (like image or video), where as in digital watermarking the signal may be audio , pictures, video, text, or 3D models.

The development and growth of internet has yield the new challenges to protect digital data from piracy [1]. The digital watermarking techniques manages a superior and robust, solution for ownership problem These watermarks are arduous to remove by altering or damaging the original host image. The digital image watermarking is

techniques of embedding watermark into audio signal to show authenticity and ownership proof. watermark into audio signal to show authenticity and ownership proof.

The several types of information hiding are described in the following diagram.




Figure 1: Different Categories of Information Hiding

## **II.REQUIREMENT OF DIGITAL WATERMARKING**

The resources of an optimal image watermarking system, some desire feature requirement to be taken into consideration. Some important feature are as follows

- Perceptual Transparency**

Perceptual transparency is the basic requirement of the watermarking [2]. The watermark which has embedded as the owner's information should not degrade the quality of the host signal . The watermark cannot be seen by human eye.

- Robustness**

The embedded watermark should not be removed from the host image even after exploring the watermarked information to different kind of attack [3] is one of the major design issues for all watermarking applications.

- Security**

The security of the watermarking system is protégé on the user of private or secret key .

**• Data rate**

The number of watermark that is embedded with in a host signal is termed as data payload [4]. For audio, data payload refers to the number of watermark bits that may be reliably embedded within a host signal per unit time, usually measured using bits per second (bps).

**• Verification**

**and reliability**

The watermark  should be able to manage complete and reliable information for proving ownership of copyright products. Watermarking process should be giving the reliability of recovery of watermark.

### **III.WATERMARKING PROCESS**

There are two most popular digital watermarking techniques included in spatial domain and transformation domain. The techniques consist of two main sub processes.

1. Embedding Technique
2. Extraction Technique

#### **Embedding technique**

The embedding block, show in figure 1 consist of original image, embedding process ,as the input creates the watermarked image.

#### **Extraction Technique**

The extraction technique is watermarked image, extraction process and sometimes watermark as shown in figure 2.

In ‘Blind Watermarking’ original image is not used during extraction process.

### **IV. APPLICATION OF WATERMARKING**

There are several applications of digital image watermarking.

#### **1.Digital Signatures**

Watermarking is the use to identify the owner of the content. By having this information, the user may contact the owner for acquiring the legal rights to copy or using the content [5].

#### **2. Broadcast Monitoring**

The watermarking is the automatic identification of owners of data may be required to be done and used in systems responsible for the monitoring the broadcasts.



### **3.Copy Control**

The watermarking is the contain information required by the content owner that decided the policy of copying the digital content. The device used for copying the content may be required by law to contain watermark detector, which follows directives given by the content owner [6] [7].

### **4.Authentication**

The watermark is used to manage authentication. The managing an incorrect watermarked image can either destroy the watermark or leads to incorrect watermark after extraction.

### **5.Secret Communication**

The process of watermarking is also used in transmitting secretly information from source to goal in a hidden way. Several public domain and shareware programs are available which use watermarking for secret communication [8].

## **V.IMAGE WATERMARKING TECHNIQUES**

Based on working domain, Image watermarking techniques is divided in to two domains

### **1.Watermarking based on Spatial Domain**

The most extremely straight forward and fundamental scheme for the field of digital watermarking are watermarking in the spatial domain. At the beginning of the watermarking research while designing the embedded and extraction algorithms, researchers tended to propose schemes to add a pseudo random noise pattern or the watermarking to the original image by modify the luminance values of the pixels in the spatial domain like the methods in one of the earliest paper this approach [9] [10].

Spatial watermarking is embedded easily and fast but they are generally considered fragile [11] [12] [13].

- General Embedding Structures in the Spatial**

The spatial domain watermarking the watermarking is embedded by altering the pixel values slightly in the spatial domain pixels. A typical example is proposed by pitas [14] [15]. Assume the binary bit pattern watermark W to be embedded into the original media X. If the watermark size is smaller than that of the original, it can be replicated until its size is the larger than the original. The embedded procedure can be represented by: -

$$X_i = X_i + \alpha_i \cdot W_i$$

Where i represents the positions to be embedded,  $\alpha_i$  denotes the strength factor [16] [17].

- General Extraction Structures in the Spatial Domain**

The watermark extraction in the spatial domain is a cross correlation techniques. To detect a watermarked in a possibly watermarked image  $X'_i$ , we calculate the correlation between the received the image  $X'_i$  which is possibly corrupted or attacked and the pseudo random noise pattern  $W_i$  by [18] [19].

## **2.Watermarking Based on Transform Domain**

The watermarking based on transform domain is mostly encountered in literature. Among the practical schemes discrete cosine transform(DCT) [17] and discrete wavelet transform (DWT) [20] [21] the most popular transform coding scheme for academic researches and practical implementations

- General Structures for Transform Domain Watermarking**

The scheme for embedding the watermarked in the transform domain is also called the multiplicative embedding rule, which can be denoted by

$$X'_i = X_i \cdot (1 + \gamma W_i)$$

Where  $X_i$  and  $X$  is stand for the watermarked media and the original counterpart, and  $w$  denoted the watermark, and  $\gamma$  is the gain factor.

The watermarking with length  $L$ ,  $i \in [0, L, -1]$ .

The correlation ( $R_x, w$ ) between the possibly attacked image  $X'$ , and the watermark  $W$ , can be calculated by

$$R_{x''} = \frac{1}{L} \sum_{i=0}^{L-1} X''_i \cdot W_i$$

- Discrete Cosine Transform (DCT)** It is a process which converts a sequence of data points in the spatial domain to a sum of sine and cosine waveforms with different amplitudes in the frequency domain. The DCT is a linear transform, which maps an  $n$ -dimensional vector to a set of  $n$  coefficients. It is very robust to JPEG compression, since JPEG compression itself uses DCT. However, DCT methods lack resistance to strong geometric distortions

## **3. Image Adaptive Transform Domain Watermarking**

All watermarking scheme do not employ explicitly the human visual model in the marking process. The image adaptive scheme proposed by podilchuk and Zeng has a specific feature. The zero-mean unit variance white Gaussian mark is added as follows:

$$X(i,j) = \begin{cases} X'(i,j) + J(i,j)W(j,j), & \text{if } X(i,j) > J(i,j) \\ X, (i,j) & \text{Otherwise.} \end{cases}$$

Because the mark is added to the components that are greater than  $J(i,j)$ , the number of mark components is picture dependent. A process like the decoding process of the spread spectrum scheme is used to extract/detect the mark. It is reported that this scheme can survive strong cropping,

## **VI CONCLUSION**

This paper provides detailed and comparative analysis of various digital watermarking techniques and application. The procedures of watermark embedding extraction have also been discussed in this paper. We have tried to provide all the necessary information about digital watermarking techniques which would be of important to all the researchers.

## **REFERENCES**

- [1] W. Bender, D. Gruhl, N. Morimoto, A. Lu, *Techniques for data hiding*, IBM Syst. J. 35 (3–4) (1996) 313–336. s)
- [2] P.W. Wong, N. Memon, Secret and public key image watermarking schemes for image authentication and ownership verification, IEEE Trans. Image Process. 10 (10) (2001) 1593–1601.
- [3] H. Chen, D.S. Tsai, Owner–customer right protection mechanism using a watermarking scheme and a watermarking protocol, Pattern Recognition 39 (8) (2006) 1530–1541. J. Clerk Maxwell, *A Treatise on Electricity and Magnetism*, 3rd ed., vol. 2. Oxford: Clarendon, 1892, pp.68-73.
- [4] C.T. Hsu, J.L. Wu, Hidden digital watermarks in images, IEEE Trans. Image Process. 8 (1) (1999) 58–68.
- [5] Tribhuwan Kumar Tewari, VikasSaxena, Prof. J P Gupta “Audio Watermarking: Current State of Art and Future Objectives” IJCTA, Volume 5, Number 7, July 2011
- [6] V.K.Bhat, I. Sengupta, and A.Das,“ Audio Watermarking Based on mean Quantization in Cepstrum Domain,”978-1-4244-2963-9/08 IEEE 2008 pp. 405- 408. 2004.
- [7] I. Cox,, M. Miller, et al. “Digital watermarking and steganography”, Morgan Kaufmann, 2008. K. Elissa, “Title of paper if known,” unpublished.
- [8] R. Polikar, “Home page - Dr. Robi Polikar,” Jan 2001. [Online] Available: <http://users.rowan.edu/~polikar/WAVELETS/WTtutorial.html>. Accessed: July 21, 2010.
- [9] Tirkel, A.Z.Rankin, Van Schyndel, R.M.Ho,W.J. Mee and Osborne C.F., “Electronic Watermark”, Digital image computing techniques and applications”,1993, pp. 666-672.
- [10] M.NavneetKumar,“WatermarkingUsingDecimalSequences,”M.S.thesis,Louisiana State University, Baton Rouge, LA, USA, 2004.
- [11] Langelaar, G.C.Setyawan and Lagendijk R.L., “ Watermarking Digital Image and Video Data: A State of the Art Overview”, IEE Signal processing magazine, 2000, vol. 17, pp.20-46.
- [12] Voyatzis G. and Pitas, “Chaotic Watermarks for Embedding in the Spatial Digital Image Domain” in Proc. IEEE International conference Image processing, 1998, pp.432-436.
- [13] Wolfgang R.B. and Delp E.J., “Overview of Image Security Techniques with Applications in Multimedia Systems” in Proc. SPIE conference on Multimedia Networks:Security,Displays,Terminals and Gateways, 1997, pp. 297-308.

**3rd International Conference on “Latest Innovations in Science, Engineering and Management”  
The International Centre Goa, Panjim, Goa (India)  
(ICLISEM-17)**

**19th February 2017, www.conferenceworld.in**

**ISBN: 978-93-86171-17-7**

- [14] Pitas,I., “A Method for Watermark Casting on Digital Images”, IEEE circuits and system for video technology, 1998, pp. 775-780.
- [15] ] R. Polikar, "Home page - Dr. Robi Polikar," Jan 2001. [Online] Available: <http://users.rowan.edu/~polikar/WAVELETS/WTtutorial.html>. Accessed: July 21, 2010.
- [16] [16]Bruce V., Green P.R. and Georges, “Visual Perception, Physiology, Psychology and Ecology”, Psychological Press, 1997, pp. 25-27.
- [17] [17] Tefas A. and Pitas, I., “Robust Spatial Image Watermarking Using Progressive Detection” in Proc. IEEE International conference on acoustics, speech and signalprocessing, 2001, pp. 1973-1976[
- [18] 18] BarniM., Bartolini, F.,Cappellini and Piva A., “Copyright Protection of Digital Images by Embedded Unperceivable Marks”, image and vision computing,1998,vol. 16,pp. 897-906.
- [19] Swanson M.D., B.Zhu and Tewfik, A.H., “ Multiresolution Scene-Based Video Watermarking using Perceptual Models”, IEEE Journal on selected areas in communications, 1998, vol.16, pp.540-550.
- [20] M. Arnold, M. Schmucker, and S. D. Wolthusen, Techniques and Applications of DigitalWatermarking and Content Protection. Boston, London: Artech House, INC, 2003.