

## A SURVEY ON SWARM INTELLIGENCE MODELS

**Manju<sup>1</sup>, Dr. Ankit Kumar<sup>2</sup>**

*<sup>1</sup>Research Scholar, <sup>2</sup>Assistant Professor, Department of Computer Science,  
Baba Mastnath University, Rohtak*

### ABSTRACT

*Swarm knowledge (SI) depicts the aggregate conduct of decentralized, self-composed frameworks, normal or manufactured. The idea is utilized in work on computerized reasoning. Swarm insight is the order that arrangements with normal and counterfeit frameworks made out of numerous people that direction utilizing decentralized control and self-association. Specifically, the order concentrates on the aggregate practices that outcome from the nearby associations of the people with each other and with their surroundings. This paper studies various swarm intelligence models with their pros and cons.*

**Keywords:** *Swarm Intelligence, ACO, PSO, ABC, SI, Ant*

### I. INTRODUCTION

Swarm Intelligence (SI) is an imaginative appropriated clever worldview for taking care of enhancement issues that initially took its motivation from the natural case by swarming, rushing and grouping wonders in vertebrates [1]. Swarm Intelligence additionally a computerized reasoning (AI) discipline, which is worried with the configuration of smart multi-specialist frameworks by taking motivation from the aggregate conduct of social creepy crawlies, for example, ants, termites, honey bees, and wasps, and from other creature social orders, for example, groups of winged animals or schools of fish. Provinces of social creepy crawlies have intrigued analysts for a long time, and the components that oversee their conduct stayed obscure for quite a while [2]. Despite the fact that the single individuals from these provinces are non-advanced people, they can accomplish complex assignments in collaboration. Facilitated settlement conduct rises up out of moderately basic activities or associations between the states' individual individuals. Numerous parts of the aggregate exercises of social bugs are self-composed and work without a focal control. For instance, leafcutter ants cut pieces from leaves, take them back to their home, and develop parasites utilized as nourishment for their hatchlings. Weaver subterranean insect laborers assemble chains with their bodies keeping in mind the end goal to cross crevices between two leaves [3]. The edges of the two leaves are then pulled together, and progressively associated by silk that is transmitted by an adult hatchling held by a laborer. The term swarm knowledge was initially utilized by Beni as a part of the connection of cell automated frameworks where straightforward specialists sort out themselves through closest neighbor collaboration [4]. In the mean time, the term swarm knowledge is utilized for a much more extensive exploration field [1]. Swarm knowledge strategies have been extremely fruitful in the range of streamlining, which is of incredible significance for industry and science.

In the previous decades, researcher and normal researchers have been concentrating on the practices of social bugs in view of the astonishing productivity of these common swarm frameworks. In the late-47s, PC researchers proposed the logical bits of knowledge of these characteristic swarm frameworks to the field of Artificial Intelligence. In 1989, the expression "Swarm Intelligence" was initially presented by G. Beni and J. Wang in the worldwide advancement system as an arrangement of calculations for controlling automated swarm [5]. In 1991, Ant Colony Optimization (ACO) [6] [7] [8] was presented by M. Dorigo and partners as a novel nature-propelled metaheuristic for the arrangement of hard combinatorial streamlining (CO) issues. In 1995, molecule swarm improvement was presented by J. Kennedy et al. [9] [10], and was initially planned for reenacting the fledgling running social conduct. By the late-90s, these two most well known swarm knowledge calculations began to go past an immaculate investigative premium and to enter the domain of genuine applications. It is maybe worth saying here that various years after the fact, precisely in 2005, Artificial Bee Colony Algorithm was proposed by D. Karabago as another individual from the group of swarm knowledge calculations [11] [12].

Since the computational displaying of swarms was proposed, there has been an unfaltering increment in the quantity of examination papers reporting the effective utilization of Swarm Intelligence calculations in a few improvement undertakings and exploration issues. Swarm Intelligence standards have been effectively connected in an assortment of issue spaces including capacity streamlining issues, finding ideal courses, booking, auxiliary enhancement, and picture and information examination [13] [14]. Computational demonstrating of swarms has been further connected to an extensive variety of different spaces, including machine learning [15], bioinformatics and restorative informatics [16], dynamical frameworks and operations research [17]; they have been even connected in account and business [18].

## 1.1 Advantages of Swarm Intelligence

- a. **Adaptability:** SI Systems react well to quickly evolving situations, making utilization of their acquire auto-arrangement and self-association abilities. This permits them to independently adjust their individual's conduct to the outside environment powerfully on the run-time, with generous adaptability [19].
- b. **Scalability:** SI frameworks are very adaptable; their great capacities are for the most part kept up when utilizing bunches running from just adequately couple of people up to a large number of people. As it were, the control components utilized as a part of SI frameworks are not very reliant on swarm size, the length of it is not very little [19].
- c. **Individual Simplicity:** SI frameworks comprise of various straightforward people with genuinely constrained abilities all alone, yet the basic behavioral tenets at the individual level are for all intents and purposes adequate to agreeably develop complex gathering conduct [20].
- d. **Collective Robustness:** SI Systems are powerful as they on the whole work without focal control, and there is no single individual pivotal for the swarm to keep on functioning (because of the repetition of their people). As it were, the adaptation to non-critical failure capacity of SI frameworks is strikingly high, since these frameworks have no single purpose of disappointment. A solitary purpose of disappointment is a part of any framework that puts the whole framework into danger of a complete disappointment, on the off chance that it stopped to work [20].

## 1.2 SI General Limitations

The capability of swarm insight is to be sure quickly developing and broad. It offers an option, untraditional method for planning complex frameworks that neither requires unified control nor broad pre-programming. That being said, SI frameworks still have a few impediments, for example,

- a. Stagnation: Because of the absence of focal coordination, SI frameworks could experience the ill effects of a stagnation circumstance or an untimely joining to a nearby ideal (e.g., in ACO, stagnation happens when every one of the ants in the end take after the same imperfect way and build the same visit [21]). This constraint, be that as it may, can be controlled via deliberately setting calculation parameters. Distinctive varieties of ACO and PSO calculations could facilitate lessen the likelihood of that constraint (e.g., by expressly or verifiably restricting the measure of pheromone trials, as proposed in Max-Min AS [22] or Ant Colony Systems [23], and additionally by fluctuating latency weight,  $\omega$ , exponentially (as opposed to straightly), as of late proposed in a late PSO variety called Exponential PSO [24]).
- b. Time-Critical Applications: Because the pathways to arrangements in SI frameworks are neither predefined nor pre-customized, yet rather emanant, SI frameworks are not appropriate for time-basic applications that require (i) on-line control of frameworks, (ii) time basic choices, and (iii) palatable arrangements inside exceptionally prohibitive time allotments, for example, the lift controller and the atomic reactor temperature controller. It stays to be valuable, notwithstanding, for non-time basic applications that include various reiterations of the same action [19].
- c. Parameter Tuning: Tuning the parameters of SI-propelled advancement procedures is one of the general downsides of swarm insight, as in most stochastic improvement strategies, and not at all like deterministic streamlining techniques. Actually, be that as it may, subsequent to numerous parameters of SI frameworks are issue subordinate, they are regularly either observationally pre-chosen by issue attributes in an experimentation way [25], or surprisingly better adaptively balanced on run time (as in the versatile ACO [26] and the fluffy versatile PSO [27]).

## II SWARM INTELLIGENCE (SI) MODELS

Swarm knowledge models are alluded to as computational models enlivened by characteristic swarm frameworks. To date, a few swarm knowledge models in view of various common swarm frameworks have been proposed in the writing, and effectively connected in some genuine applications. Case of swarm knowledge models are: Ant Colony Optimization [21], Particle Swarm Optimization [9], Artificial Bee Colony [11], Bacterial Foraging [28], Cat Swarm Optimization [29], Artificial Immune System [30], and Glowworm Swarm Optimization [31].

### 2.1 ANT COLONY OPTIMIZATION (ACO) MODEL

The main case of an effective swarm insight model is Ant Colony Optimization (ACO), which was presented by M. Dorigo et al. [6] [7] [8], and has been initially used to take care of discrete advancement issues in the late 1947s. ACO draws motivation from the social conduct of subterranean insect states. It is a meta heuristic enlivened by the scrounging conduct of ants in the wild, and in addition, the marvels known as stigmergy, term presented by Grasse in 1959. Stigmergy alludes to the circuitous correspondence amongst a self-sorting out emanant framework by means of people changing their nearby surroundings. The most fascinating part of the

collective conduct of a few subterranean insect animal types is their capacity to discover briefest ways between the ants' home and the nourishment sources by following pheromone trails. Then, ants pick the way to take after by a probabilistic choice one-sided by the measure of pheromone: the more grounded the pheromone trail, the higher its desirability [32]. Since ants thusly store pheromone on the way they are tailing, this conduct results in a self-fortifying procedure prompting the arrangement of ways set apart by high pheromone focus. By displaying and mimicking subterranean insect scavenging conduct, brood sorting, home building and self-gathering, and so on calculations can be produced that could be utilized for intricate, combinatorial advancement issues [32].

The ACO Meta heuristic was produced (Dorigo & Di Caro, 1999 ;) to sum up, the general strategy for taking care of combinatorial issues by inexact arrangements in view of the non specific conduct of normal ants. ACO is organized into three fundamental capacities as takes after [32]:

1. **Ant Solutions Construct:** This capacity plays out the arrangement development process where the fake ants travel through nearby conditions of an issue as indicated by a move guideline, iteratively assembling arrangements.
2. **Pheromone Update:** performs pheromone trail redesigns. This may include redesigning the pheromone trails once finish arrangements have been fabricated, or overhauling after each iteration. Notwithstanding pheromone trail fortification, ACO likewise incorporates pheromone trail dissipation. Vanishing of the pheromone trails helps ants to =forget awful arrangements that were found out right on time in the calculation run.
3. **Daemon Actions:** It is a discretionary stride in the calculation which includes applying extra upgrades from a worldwide point of view (for this no common partner exists). This may incorporate applying extra pheromone fortification to the best arrangement produced (known as disconnected pheromone trail upgrade) [32].

ACO has a place with the class of meta-heuristics [33,34,35], which are estimated calculations used to acquire adequate solutions to hard CO issues in a sensible measure of calculation time. Different cases of meta-heuristics are tabu inquiry [36, 37, 38], reproduced strengthening [39,40], and evolutionary computation [41,42,43]. The motivating wellspring of ACO is the scrounging conduct of genuine ants.

At the point when hunting down sustenance, ants at first investigate the range encompassing their home in an irregular way. When an insect finds a sustenance source, it assesses the amount and the nature of the nourishment and conveys some of it back to the home [39]. Amid the arrival trip, the insect stores a substance pheromone trail on the ground. The amount of pheromone kept, which may rely on upon the amount and nature of the nourishment, will control different ants to the sustenance source. A sit has been appeared in [42], aberrant correspondence between the ants by means of pheromone trails empowers them to discover most brief ways between their home and nourishment sources. This normal for genuine insect settlements is misused in manufactured subterranean insect provinces so as to take care of CO issues [42].

The insect state streamlining calculation (ACO) is a probabilistic method for taking care of computational issues which can be lessened to discovering great ways through charts. This calculation is an individual from the insect state calculations family, in swarm knowledge strategies, and it constitutes some metaheuristic advancements. At first proposed by Marco Dorigo in 1992 in his PhD thesis, [43,44] the primary calculation was meaning to

hunt down an ideal way in a diagram, in light of the conduct of ants looking for a way between their state and a wellspring of nourishment.

The first thought has subsequent to broadened to comprehend a more extensive class of numerical issues, and thus, a few issues have developed, drawing on different parts of the conduct of ants [43]. The first thought originates from watching the misuse of sustenance assets among ants, in which ants' exclusively constrained intellectual capacities have on the whole possessed the capacity to locate the most limited way between a nourishment source and the home [44].

1. The first subterranean insect finds the sustenance source (F), by means of any way (a), then comes back to the home (N), deserting a trail pheromone (b)
2. Ants unpredictably take after four conceivable ways, yet the reinforcing of the runway makes it more alluring as the briefest course.
3. Ants take the most brief course; long partitions of different ways lose their trail pheromones.

In a progression of examinations on a settlement of ants with a decision between two unequal length ways prompting a wellspring of nourishment, scientists have watched that ants tended to utilize the most limited course. [16,48]

### **2.1.1 Ants' Foraging Behavior[44]**

A model clarifying this conduct is as per the following:

1. An subterranean insect (called "rush") runs pretty much at arbitrary around the state;
2. If it finds a sustenance source, it returns pretty much straightforwardly to the home, leaving in its way a trail of pheromone;
3. These pheromones are alluring; adjacent ants will be slanted to take after, pretty much straightforwardly, the track;
4. Returning to the settlement, these ants will fortify the course;
5. If there are two courses to achieve the same nourishment.

The long course will in the end vanish on the grounds that pheromones are unstable; Eventually, every one of the ants have decided and in this way "picked" the most brief course.

Ants utilize the earth as a medium of correspondence. They trade data in a roundabout way by storing pheromones, all enumerating the status of their "work" [45]. The data traded has a nearby degree, just an insect found where the pheromones were left has a thought of them. This framework is called "Stigmergy" and happens in numerous social creature social orders (it has been contemplated on account of the development of columns in the homes of termites). The instrument to take care of an issue too complex to possibly be tended to by single ants is a decent case of a self-sorted out framework. This framework depends on positive input (the store of pheromone pulls in different ants that will reinforce it themselves) and negative (dissemination of the course by dissipation keeps the framework from whipping). Hypothetically, if the amount of pheromone continued as before after some time on all edges, no course would be picked [46]. Be that as it may, in light of input, a slight minor departure from an edge will be enhanced and accordingly permit the decision of an edge. The calculation will move from a flimsy state in which no edge is more grounded than another, to a steady state where the course is made out of the most grounded edges [46].

The fundamental theory of the calculation includes the development of a province of ants through the distinctive conditions of the issue affected by two nearby choice approaches, viz., trails and engaging quality. In this way, each such subterranean insect incrementally builds an answer for the problem[43]. At the point when a subterranean insect finishes an answer, or amid the development stage, the subterranean insect assesses the arrangement and adjusts the trail esteem on the parts utilized as a part of its answer. This pheromone data will coordinate the inquiry without bounds ants. Besides, the calculation likewise incorporates two more instruments, viz., trail vanishing and daemon activities. Trail dissipation diminishes all trail values after some time along these lines staying away from any conceivable outcomes of getting stuck in neighborhood optima. The daemon activities are utilized to predisposition the pursuit procedure from a non-nearby point of view [46].

In ACO, manufactured ants fabricate an answer for a combinatorial improvement issue by navigating a completely associated development chart, characterized as takes after. In the first place, each instantiated choice variable  $X_i = v_{ji}$  is known as an answer segment and signified by  $c_{ij}$ . The arrangement of all conceivable arrangement segments is indicated by  $C$ . [39] Then the development chart  $GC(V,E)$  is characterized by partner the segments  $C$  either with the arrangement of vertices  $V$  or with the arrangement of edges  $E$ .

A pheromone trail esteem  $\tau_{ij}$  is connected with every part  $c_{ij}$ . (Note that pheromone qualities are when all is said in done an element of the calculation's emphasis  $\tau_{ij} = \tau_{ij}(t)$  .) Pheromone values permit the likelihood conveyance of various segments of the answer for be demonstrated. Pheromone qualities are utilized and overhauled by the ACO calculation amid the search.[40]

The ants move from vertex to vertex along the edges of the development diagram abusing data gave by the pheromone values and thusly incrementally assembling an answer. Also, the ants store a specific measure of pheromone on the segments, that is, either on the vertices or on the edges that they traverse.[41] The sum  $\Delta\tau$  of pheromone saved may rely on upon the nature of the arrangement found. Ensuing ants use the pheromone data as an aide towards additionally encouraging locales of the inquiry space.[43][47]

## 2.2 PARTICLE SWARM OPTIMIZATION (PSO) MODEL

The second case of an effective swarm knowledge model is Particle Swarm Optimization (PSO), which was presented by Russell Eberhart, an electrical architect, and James Kennedy, a social therapist, in 1995 [49] [50]. PSO was initially used to take care of non-straight consistent streamlining issues, yet all the more as of late it has been utilized as a part of numerous down to earth, genuine application issues. For instance, PSO has been effectively connected to track dynamic frameworks [51], develop weights and structure of neural systems [52], investigate human tremor [53], and register 3D-to-3D biomedical picture [54], control responsive force and voltage [55], notwithstanding figuring out how to play diversions [56] and music piece [57]. PSO draws motivation from the sociological conduct connected with winged animal rushing. It is a characteristic perception that feathered creatures can fly in vast gatherings with no crash for developed long separations, attempting to keep up an ideal separation amongst themselves and their neighbors.

Vision is considered as the most essential sense for group association [58]. The eyes of most fowls are on both sides of their heads, permitting them to see objects on every side in the meantime. The bigger size of birds'eyes in respect to other creature gatherings is one motivation behind why winged creatures have a standout amongst the most very created faculties of vision in the set of all animals [59]. As a consequence of such extensive sizes of birds'eyes, and also the way their heads and eyes are masterminded, most types of winged creatures have a

wide field of perspective [60]. For instance, Pigeons can see 300 degrees without turning their head, and American Woodcocks have, amazingly, the full 360-degree field of perspective [61]. Flying creatures are by and large pulled in by sustenance; they have great capacities in running synchronously for nourishment seeking and long-separate relocation [62]. **2.2.1 Birds Flocking Behavior**

The development of rushing and tutoring in gatherings of associating specialists, (for example, winged creatures, fish, penguins, and so forth.) have since quite a while ago charmed an extensive variety of researchers from different controls including creature conduct, material science, social brain science, sociology, and software engineering for a long time [62] [63] [64] [65] [66]. Winged animal running can be characterized as the social aggregate movement conduct of an expansive number of cooperating flying creatures with a typical gathering objective.

PSO tackles issues whose arrangements can be spoken to as an arrangement of focuses in a n-dimensional arrangement space. The term —particles|| alludes to populace individuals, which are in a general sense depicted as the swarm positions in the n-dimensional arrangement space. Every molecule is set into movement through the arrangement space with a speed vector speaking to the molecule's velocity in every measurement. Every molecule has a memory to store its generally best arrangement (i.e., its best position ever accomplished in the hunt space as such, which is likewise called its experience).

The mystery of the PSO achievement lies in the experience-sharing conduct in which the experience of every




Figure 1: PSO Flow

molecule is persistently imparted to part or the entire swarm, driving the general swarm movement towards the most encouraging regions identified so far in the hunt space [67]. Thusly, the moving particles, at every emphasis, assess their present position as for the issue's wellness capacity to be improved.

## 2.2.2 PSO Advantages

PSO utilizes memory to store the molecule's generally best position and the swarm's worldwide best position, which helps not just every molecule to monitor its own particular individual experience, additionally helps the most better molecule than impart its social experience to alternate particles. This by and large guides the joining to the most encouraging territories on the inquiry space and quickens the enhancement procedure towards the ideal arrangement [67]. PSO is portrayed by its quick union conduct, as well as by its straightforwardness. The center scientific conditions of PSO (in particular, speed overhaul, position upgrade, and memory redesign) are effortlessly computed. In this way, the execution of PSO strategy is basic and by and large requires only a generally few lines of code [9]. PSO has an acquire potential to adjust to an evolving domain, which can extend its capacity from simply finding optima in static situations to further track them in element situations [68]. It is reasonably extremely basic.

## 2.2.3 PSO Limitations

The ordinary PSO issues are those whose arrangements can be spoken to as an arrangement of focuses in a n-dimensional Cartesian direction framework, as it would be simple, in such issues, to decide the past and next positions for every point (i.e., molecule). Then again, PSO neglects to work if the issue representation does not offer an unmistakable approach to remarkably characterize what the following and past molecule positions are to look in the arrangement space [69]. For instance, Li proposed a species-based PSO (SPSO), which partitions the swarm into numerous species (gatherings of particles having comparable attributes) and empowers them to simultaneously hunt down various optima [70].

## 2.3 Artificial Bee Colony (ABC) Algorithm

The ABC technique consists colony of artificial bees contains three groups of bees such as onlookers, employed bees, and scouts. In starting the first half of the colony consists of the employed artificial bees and second half contains onlookers. There is only one employed bee for every food source. And also we can say, number of employed bees is identical to the number of food resources. The employed bee of a neglected food resource grows to be a scout. The exploration accepted out through the artificial bees can be reviewed as pursues:

- The engaged bees conclude a food source within the district of the food source in their reminiscence.
- The employed bees can shared their information with onlookers inside the hive and after that onlookers choose one of the food sources.
- By using neighborhood, onlookers choose a food source chosen by them.
- An employed bee of which the source has been neglected turn to be a scout and establish to search a new food source arbitrarily.

## IV. CONCLUSION

This paper studies various swarm intelligence models with their pros and cons. The ACO, PSO and the ABC is discussed in the paper with details which depicts the behavior of ant, particle swarm and bee respectively. These techniques can be used for the optimization purposes. These techniques can also be extended or implemented according to the application area. In future, these techniques can be extended to recognize the object.

## REFERENCES

- [1] E. Bonabeau, M. Dorigo, and G. Theraulaz. *Swarm Intelligence: From Natural to Artificial Systems*. Oxford University Press, New York, NY, 1999.
- [2] T. Blackwell and J. Branke. Multi-swarm optimization in dynamic environments. In *EvoWorkshops*, volume 3005 of *Lecture Notes in Computer Science*, pages 489–500. Springer, 2004.
- [3] T. Blackwell and J. Branke. Multi-swarms, exclusion and anti-convergence in dynamic environments. *IEEE Transactions on Evolutionary Computation*, 10(4):459–439, 2006.
- [4] G. Beni. The concept of cellular robotic systems. In *Proceedings of the IEEE International Symposium on Intelligent Systems*, pages 57–62. IEEE Press, Piscataway, NJ, 1988.
- [5] G. Beni and J. Wang. Swarm intelligence in cellular robotic systems. In *NATO Advanced Workshop on Robots and Biological Systems*, IlCiocco, Tuscany, Italy, 1989.
- [6] M. Dorigo, V. Maniezzo, and A. Colomi, Positive feedback as a search strategy, Tech. Report 91-016, Dipartimento di Elettronica, Politecnico di Milano, Italy, 1991.
- [7] M. Dorigo, Optimization, learning and natural algorithms (in Italian), Ph.D. Thesis, DipartimentodiElettronica, Politecnico di Milano, Italy, 1992.
- [8] A. Colomi, M. Dorigo, V. Maniezzo, and M. Trubian. Ant System for Job-shop Scheduling. *Belgian Journal of Operations Research, Statistics and Computer Science*, 34(1):39-53, 1994.
- [9] J. Kennedy and R. C. Eberhart. Particle Swarm Optimization. In *Proceedings of IEEE International Conference on Neural Networks*, Perth, Australia, pp. 1942–1948, 1995.
- [10] R. C. Eberhart and J. Kennedy. A new optimizer using particle swarm theory. In *Proceedings of the Sixth International Symposium on Micro Machine and Human Science*, Nagoya, Japan, pp. 39–43, 1995.
- [11] D. Karaboga, An Idea Based On Honey Bee Swarm for Numerical Optimization, Technical Report-TR06, Erciyes University, Engineering Faculty, Computer Engineering Department, 2005.
- [12] D. Karaboga and B. Basturk, A Powerful And Efficient Algorithm For Numerical Function Optimization: Artificial Bee Colony (ABC) Algorithm, *Journal of Global Optimization*, Springer Netherlands, Vol. 39, No. 3, pp: 459-438, 2007.
- [13] A. P. Engelbrecht (ed.), *Computational Intelligence: An Introduction*. John Wiley & Sons, England, 2002.
- [14] C. P. Lim, L. C. Jain, and S. Dehuri, *Innovations in Swarm Intelligence: Studies in Computational Intelligence*, Vol. 248, Springer, 2009.
- [15] S. Das, B. K. Panigrahi, and S. S. Pattnaik, *Nature-Inspired Algorithms for Multi-objective Optimization, Handbook of Research on Machine Learning Applications and Trends: Algorithms Methods and Techniques*, Hershey, New York, Vol. 1, pp. 95–108, 2009.
- [16] S. Das, A. Abraham, and A. Konar, *Swarm Intelligence Algorithms in Bioinformatics, Studies in Computational Intelligence*. Vol. 94, pp. 113–147, 2008.
- [17] K. E. Parsopoulos and M N. Vrahatis, *Particle Swarm Optimization and Intelligence: Advances and Applications*, Information Science Reference, Hershey, Pennsylvania, 2010.
- [18] E. Bonabeau, C. Meyer, *Swarm Intelligence: A Whole New Way to Think About Business*, *Harvard Business Review*, Vol.46, No.5, pp. 106-114, 2001.

- [19] M. Belal, J. Gaber, H. El-Sayed, and A. Almojel, Swarm Intelligence, In Handbook of Bioinspired Algorithms and Applications. Series: CRC Computer & Information Science. Vol. 7. Chapman & Hall Eds, 2006. ISBN 1-58488-444-5.
- [20] M. Dorigo, In The Editorial of the First Issue of: Swarm Intelligence Journal, Springer Science + Business Media, LLC, Vol.1, No. 1, pp. 1–2, 2007.
- [21] M. Dorigo and T. Stützle, Ant Colony Optimization. MIT Press, Cambridge, 2004. ISBN: 945-0-262-04219-2.
- [22] T. Stützle and H. H. Hoos, Improving the Ant System: A detailed report on the MAX-MIN Ant System. Technical report AIDA-96-12, FG Intellektik, FB Informatik, TU Darmstadt, Germany, 1996.
- [23] M. Dorigo and L. M. Gambardella, Ant Colony System: A cooperative learning approach to the traveling salesman problem, IEEE Transactions on Evolutionary Computation, Vol. 1, No. 1, pp. 53–33, 1997.
- [24] N. I. Ghali, N. El-Dessouki, A. N. Mervat, and L. Bakrawi, Exponential Particle Swarm Optimization Approach for Improving Data Clustering, International Journal of Electrical, Computer, and Systems Engineering, pp. 208-212, 2009.
- [25] F. Buck, Cooperative Problem Solving With a Distributed Agent System - Swarm Intelligence, Master's Thesis, Dept. of Electrical and Computer Engineering, Utah State University, 2005.
- [26] L. Chen, X.-H. Xu, and Y.-X. Chen, An adaptive ant colony clustering algorithm, In Proceedings of the 3rd Conference on Machine Learning and Cybernetics, pp. 1387–1392, 2004.
- [27] Y. Shi and R. C. Eberhart, Fuzzy adaptive particle swarm optimization, In Proceedings of 2001 Congress on Evolutionary Computation, pp. 101–106. 2001.
- [28] K. M. Passino, Biomimicry of Bacteria Foraging for Distributed Optimization and Control, IEEE Control Systems Magazine, Vol. 22, 52–34, 2002.
- [29] S.-C. Chu, P.-W. Tsai and J.-S. Pan, Cat swarm optimization, Proc. of the 9th Pacific Rim International Conference on Artificial Intelligence, LNAI 4099, pp. 854-858, 2006.
- [30] M. Bakhouya and J. Gaber, An Immune Inspired-based Optimization Algorithm: Application to the Traveling Salesman Problem, Advanced Modeling and Optimization, Vol. 9, No. 1, pp. 105-116, 2007.
- [31] K.N. Krishnanand and D. Ghose, Glowworm swarm optimization for searching higher dimensional spaces. In: C. P. Lim, L. C. Jain, and S. Dehuri (eds.) Innovations in Swarm Intelligence. Springer, Heidelberg, 2009.
- [32] Dorigo, M., Maniezzo, V., & Colormi, A. (1996). "Ant System: Optimization by a colony of cooperating agents". *IEEE Transactions on Systems, Man, and Cybernetics Part B*, 26, 29–41
- [33] C. Blum, A. Roli, Metaheuristics in combinatorial optimization: overview and conceptual comparison, ACM Comput. Surveys 35 (3) (2003) 235–308.
- [34] F. Glover, G. Kochenberger (Eds.), Handbook of Metaheuristics, Kluwer Academic Publishers, Norwell, MA, 2002.
- [35] H.H. Hoos, T. Stutzle, Stochastic Local Search: Foundations and Applications, Elsevier, Amsterdam, The Netherlands, 2004.
- [36] F. Glover, Tabu search—Part I, ORSAJ. Comput. 1 (3) (1989) 190–206.
- [37] F. Glover, Tabu search—Part II, ORSAJ. Comput. 2 (1) (1990) 4–32.

- [38] F. Glover, M. Laguna, Tabu Search, Kluwer Academic Publishers, Dordrecht, 1997.
- [39] S. Kirkpatrick, C.D. Gelatt, M.P. Vecchi, Optimization by simulated annealing, Science 220 (4598) (1983)341–350.
- [40] V. Cerny, Athermodynamical approach to the travelling salesman problem: an efficient simulation algorithm, J. Optim. Theory Appl. 45 (1985) 41–51.
- [41] J.H. Holland, Adaption in Natural and Artificial Systems, The University of Michigan Press, Ann Harbor, MI, 1942.
- [42] I. Rechenberg, Evolutions strategies: Optimum techniques System and Principal biological Evolution, Frommann-Holzboog, 1940.
- [43] L.J. Fogel, A.J. Owens, M.J. Walsh, Artificial Intelligence Through Simulated Evolution, Wiley, New York, 1933.
- [44] J.-L. Deneubourg, S. Aron, S. Goss, J.-M. Pasteels, The self-organizing exploratory pattern of the argentine ant, J. Insect Behav. 3 (1990) 159–135.
- [45] A. Colomi, M. Dorigo et V. Maniezzo, *Distributed Optimization by Ant Colonies*, actes de la première conférence européenne sur la vie artificielle, Paris, France, Elsevier Publishing, 134-142, 1991.
- [46] M. Dorigo, *Optimization, Learning and Natural Algorithms*, PhD thesis, Politecnico di Milano, Italie, 1992.
- [47] S. Goss, S. Aron, J.-L. Deneubourget J.-M. Pasteels, *Self-organized shortcuts in the Argentine ant*, Naturwissenschaften, volume 43, pages 546-548, 1989
- [48] J.L. Deneubourg, S. Aron, S. Goss et J.-M. Pasteels, *The self-organizing exploratory pattern of the Argentine ant*, Journal of Insect Behavior, volume 3, page 159, 1990
- [49] J. Kennedy and R. C. Eberhart. Particle Swarm Optimization. In Proceedings of IEEE International Conference on Neural Networks, Perth, Australia, pp. 1942–1948, 1995.
- [50] R. C. Eberhart and J. Kennedy. A new optimizer using particle swarm theory. In Proceedings of the Sixth International Symposium on Micro Machine and Human Science, Nagoya, Japan, pp. 39–43, 1995.
- [51] R. C. Eberhart and Y. Shi, Tracking and optimizing dynamic systems with particle swarms, Proc. Congress on Evolutionary Computation 2001, Seoul, Korea, 2001.
- [52] C. Zhang, H. Shao, and Y. Li, Particle Swarm Optimisation for Evolving Artificial Neural Network, In the 2000 IEEE International Conference on Systems, Man, and Cybernetics, vol.4, pp.2487-2490, 2000.
- [53] R. C. Eberhart and X. Hu, Human tremor analysis using particle swarm optimization, Proc. Congress on Evolutionary Computation 1999, Washington, DC, pp. 1927-1930, 1999.
- [54] M. P. Wachowiak, R. Smolíková, Y. Zheng, J. M. Zurada, and A. S. Elmaghraby, An approach to multimodal biomedical image registration utilizing particle swarm optimization, IEEE Transactions on Evolutionary Computation, 2004.
- [55] H. Yoshida, K. Kawata, Y. Fukuyama, S. Takayama, and Y. Nakanishi, A particle swarm optimization for reactive power and voltage control considering voltage security assessment, IEEE Transactions on Power Systems, Vol. 15, No. 4, pp. 1232-1239, 2000.
- [56] L. Messerschmidt, A. P. Engelbrecht, Learning to play games using a PSO-based competitive learning approach, IEEE Transactions on Evolutionary Computation, 2004.

- [57] T. Blackwell and P. J. Bentley, Improvised music with swarms, In David B. Fogel, Mohamed A. El-Sharkawi, Xin Yao, Garry Greenwood, Hitoshi Iba, Paul Marrow, and Mark Shackleton (eds.), Proceedings of the 2002 Congress on Evolutionary Computation CEC 2002, pages
- [58] C. Grosan, A. Abraham, and C. Monica, Swarm Intelligence in Data Mining, Studies in Computational Intelligence, Vol. 34, pp. 1–16. Springer, Heidelberg 2006.1462–1434, IEEE Press, 2002.
- [59] B. MacKinnon, R. Snowden, and S. Dudley (eds.), Sharing the skies: an aviation guide to the management of wildlife hazards, Transport Canada, Ontario, Canada, 2001.
- [60] C. W. Reynolds, Flocks, herds, and schools: a distributed behavioural model, Computer Graphics (ACM SIGGRAPH '87 Conference Proceedings), Vol. 21, No. 4, pp. 25–34, July 1987.
- [61] M. Jones, K. Pierce Jr., and D. Ward, Avian vision: a review of form and function with special consideration to birds of prey, Journal of Exotic Pet Medicine, Vol.16, No.2, pp.36–87, 2007.
- [62] J. T. Emlen, Flocking behaviour in birds, The Auk Journal. Vol. 36, No. 2, pp. 160-137, 1952.
- [63] E. Shaw, Fish in schools, Natural History, Vol. 84, No. 8, pp. 40–45, 1942.
- [64] J. K. Parrish, S. V. Viscido, and D. Grunbaum, Self-organized fish schools: an examination of emergent properties, Biol. Bull., Vol. 202, pp. 296–305, 2002.
- [65] J. Toner and Y. Tu, Flocks, herds, and schools: A quantitative theory of flocking, Physical Review E, Vol. 58, No. 4, pp. 4828–4858, 1998.
- [66] A. Okubo, Dynamical aspects of animal grouping: swarms, schools, flocks. and herds, Adv. Biophysics, Vol. 22, pp. 1–94, 1986.
- [67] J. Kennedy, R. C. Eberhart, and Y. Shi, Swarm Intelligence, Morgan Kaufmann, San Francisco, CA, 2001.
- [68] T. M. Blackwell, Particle swarm optimization in dynamic environments. In S. Yand, Y. Ong, and Y. Jin (eds.), Evolutionary computation in dynamic environments, Springer, Berlin, pp. 29–49, 2007.
- [69] P. Melin and W. Pedrycz (eds.), Soft Computing for Recognition based on Biometrics, Studies in Computational Intelligence, Springer, Vol. 312, 2010.
- [70] X. Li, Adaptively choosing neighborhood bests using species in a particle swarm optimizer for multimodal function optimization, In Proc. Genetic Evol. Comput. Conf., pp. 105–116, Jun. 2004.